

Formerly Head & Neck Surgery Associates

W. Mark Gutowski, M.D., F.A.A.P., F.A.C.S.
Todd M. Kirchhoff, M.D.
Steven P. Magary, M.D.
Bryan J. Krol, M.D., F.A.C.S.
Michael A. Domet, M.D.
James J. Kempiners, M.D.
Theodore H. Miller, M.D., Ph.D.
Michelle A. Veazey, M.D.
Patrick J. Haas, M.D.
Manuel S. Villareal, M.D.

VIDEONYSTAGMOGRAPHY VNG Testing Pre-Instructions

DR		has ordered a VNG to	be performed at our	EDGEWOOD
		office		
	on	at	AM/PM	
	Your app	ointment is with		

The VNG test is performed to evaluate patients with dizziness, vertigo, or balance dysfunction.

The test evaluates the function of the balance portion of your inner ear.

IT IS VERY IMPORTANT TO FOLLOW THESE INSTRUCTIONS BELOW TO AHIEVE ACCURATE RESULTS.

- Please do not wear lotion on your face, no make-up including mascara or eyeliner to the test.
- Please do not eat three hours prior to testing.
- Please do not drink caffeine or alcohol 48 hours prior to testing.
- Do not take any of the following medications 48 hours prior to testing.
 - ANTI NAUSEA MEDICATION
 - ANTI VERITGO MEDICATION
 - TRANQUILIZERS OR ANTIDEPRESSANTS
 - SEDATIVES/SLEEPING MEDICATION
 - NARCOTICS AND BARBITURATES
 - ANTIHISTAMINES
 - PAIN MEDICATION

^{**}You should continue to take any heart, blood pressure, diabetic and thyroid medications, medications for seizures, or any medication deemed by your physician to be necessary prior to testing.